

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. – 18. (Cancelled)

19. (Currently Amended) An item holder for use with a perforated panel comprising:

a support portion; and

an attachment portion detachably engagable ~~connectable~~ with a portion of said perforated panel, said attachment portion comprising at least one curved ~~[[a]] cantilevered beam strap~~ provided at a first position on said support portion and a stop tab located on an end of said attachment portion that is positioned above, but spaced away from said first position.

20. (Currently Amended) An item holder according to claim 19 wherein said attachment portion includes a slot located opposite an end of said at least one curved cantilevered beam strap.

21. Cancelled.

22. (Currently Amended) An item holder according to claim 19 wherein said at least one curved cantilevered beam strap includes a first side and a second side that taper, ~~and wherein said strap further defines a void located between said first and said second side of said strap.~~

23. (Currently Amended) An attachment device coupled to an item holder for connecting said item holder to a perforated panel, said attachment device comprising:

two curved ~~[[a]]~~ cantilevered beams strap coupled to said item holder at a first position on said item holder and engagable with a portion of said perforated panel, said two curved cantilevered beams strap having a stop tab located at a beam strap end positioned above, but spaced away from said first position location.

24. (Currently Amended) An attachment device according to claim 23 wherein said attachment device includes a slot located opposite an end of said two curved cantilevered beams strap.

25. Cancelled.

26. (Currently Amended) An attachment device according to claim 23 wherein said two curved cantilevered beams each include strap includes a

first side and a second side that define a tapered cross-sectional profile, and wherein said two curved cantilevered beams define ~~strap defines~~ a void located between said first and said second side ~~of said strap~~.

27. (Previously Presented) An attachment device according to claim 23 wherein said attachment device is detachably coupled to said item holder.

28. (New) An item holder for use with a perforated panel comprising:
a support portion; and
an attachment portion detachably engagable with a portion of said perforated panel, said attachment portion comprising opposing cantilevered beams provided at a first position on said support portion and a stop tab located on an end of said attachment portion that is positioned above, but spaced away from said first position.